Honeywell Safety Products

United Kingdom Partners Where To Buy

>



Product Family AirSoft Multiple-Use Earplug Advanced air pocket design, optimized for comfort

Learn more about our products at howardleight.com



Product Numbers & Ordering Information

	Product Numbers	Details
9	1030612	AirSoft - red polycord SNR 30 H 29 - M 27 - L 25
	1030610	AirSoft - uncorded SNR 30 H 29 - M 27 - L 25
9	1030611	AirSoft - white nylon cord SNR 30 H 29 - M 27 - L 25

Overview

Key Features

- Advanced air pocket design features internal noise-blocking fins
- Four-flange profile creates better seal in the ear canal
- Less pressure in the ear canal eliminates that "plugged up" feeling
- Rounded flanges, tapered shape fits better in the ear canal
- Firm stem facilitates easy insertion and removal
- Outstanding noise-blocking protection

Recommended Industries/Use

- Agriculture
 Chemical
 Construction
 Food Services
 Forestry
 Government
- Law Enforcement
 Manufacturing
 Medical
 Military
 Mining
 Municipal Services
- Oil and Gas
 Pharmaceutical
 Steel and Metals
 Transportation
 Utilities
 Welding
- Nuclear

Hazards

Noise

Regulations

- 29 CFR 1910.95 OSHA Occupational Noise Exposure (US)
- ANSI S3.19-1974 Attenuation Test Protocol (US)
- Part II, (R.S.C. 1985, c. L-2) Occupational Noise Standard (CAN)
- Z94.2-1994 Attenuation Test Protocol (CAN)
- 2003/10/EC EU Hearing Directive
- 89/686/EEC European Directive/PPE
- Category II EC Category PPE
- EN 352-2:1993 EU Standards
- NOHSC: 1007 (2000) National Standard for Occupational Noise (AUS/NZ)
- AS/NZS 1270:2002 Attenuation Test Protocol (AUSNZ)
- NR 15 Security and Health of Work, Annexes 1 and 2, n°3.214/1978 Occupational Noise Regulations (BR)
- ANSI S12.6/1997 Method B Attenuation Test Protocol (BR)
- 9001:2008 ISO

Historical Brand

Howard Leight

Warranty Information

There is a one years guarantee against defects in material and workmanship. The guarantee does not cover damage caused by misuse, abuse or unauthorised modifications.

Specifications

Color

Blue

Shape

• 4 Flange

Material

• TPE

Packaging Options

• Polybag, Reusable Case

Cord Options

• Uncorded, Red Polycord, White Nylon Cord

NRR

• 27

Canada Class

- A
- SNR

• 30

SLC80

• 26 dB / Class 5

EU Certifications

- European Directives 89/686/EEC
- EC Category PPE Category II
- Standards EN 352-2:1993
- EC Certification Number EC152
- EC Attestation Number 152
- Laboratory INSPEC

AUSNZ Standards

• Standardsmark License #1579

Certifications

EU Certificate - AirSoft http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Secured/Hearing_Protection /Earplugs/20031/1033.aspx

EU Certificate - AirSoft

Literature & Documents

Earplug Instruction Poster - EN

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Hearing_Protection /Earplugs/19799/1033.aspx

Instruction Manual - Airsoft (global) http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Hearing_Protection /Earplugs/4294986709/1033.aspx

Training & Proper Use

- 1. While holding the stem, reach a hand over your head and gently pull top of your ear up and back.
- 2. Insert the earplug so all flanges are well inside your ear canal.
- 3. If properly fitted, the tip of the earplug stem may be visible to someone looking at you from the front.
- 4. Proper Fit If either or both earplugs do not seem to be fitted properly, remove the earplug and reinsert.
- 5. Removal Gently twist earplug while slowly pulling in an outward motion for removal.
- Acoustical Check In a noisy environment, with earplugs inserted, cup your hands over your ears and release. Earplugs should block enough noise so that covering your ears with your hands should not result in a significant noise difference.

Additional Information

CARE + MAINTENANCE

- INSPECT Prior to fitting, examine your earplugs for dirt, damage, deformation or extreme hardness. Discard immediately if compromised.
- CLEAN Wash Multiple-Use earplugs with mild soap and warm water only. Pat dry with a towel and store in a case when not in use. Do not treat with any other substances, as the earplug may degrade and compromise use.
- HYGIENE With proper maintenance, Multiple-Use earplugs can last for 2-4 weeks.

Honeywell International Inc.