



**Sitecore™** ANSI CE CSA



RUBBER NOSEPIECE



RATCHETING TEMPLES



ADJUSTABLE TEMPLES

Built-in rubber nosepiece

Flexible and ventilated temples

Ratcheting temples

Temples adjust to three different lengths

Part No.	Gray and Lime Frame
ESGL10110D ●●●	Clear
ESGL10110DTM ●●●	AF Clear <b>H2MAX</b>
ESGL10120D ●●●	Gray
ESGL10120DTM ●●●	AF Gray <b>H2MAX</b>
ESGL10180D ●●●	I/O Mirror



[vimeo.com/pyramex/h2max](https://vimeo.com/pyramex/h2max)

There's more to see at  
**PYRAMEXSAFETY.COM**

(P) 800.736.8673 | (F) 901.861.4967

All safety eyewear meets ANSI Z87.1+ standards (●) and provides 99% protection from harmful UV rays. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted. Some options meet European EN166 (●), Canadian CSA Z94.3 (●) – SEI third-party certification.

## Sitecore™

### General Specifications

Weight: 24.4 gm  
 Bridge: 10.6 mm  
 Lens base: 8 curve  
 Lens size diagonal: 74 mm  
 Lens size vertical: 41.5 mm  
 Lens thickness: 2.2 mm  
 Overall length (lens - tip): 158 mm  
 Overall width (hinge - hinge): 132.5 mm  
 Closest point between temple tips: 55 mm

### Materials

Lens: polycarbonate  
 Frame: polycarbonate  
 Nosepiece: thermoplastic rubber (TPR)  
 Ratchet: polycarbonate  
 Sleeve: nylon  
 Temple: nylon  
 Screw: stainless steel

Part No.	Lens Marking	Temple Marking
ESGL10110D	2 C - 1.2 P 1 F CE	CE P EN166 F
ESGL10110DTM	2 C - 1.2 P 1 F K N CE	CE P EN166 F
ESGL10120D	5 -2.5 P 1 F CE	CE P EN166 F
ESGL10120DTM	5 -2.5 P 1 F K N CE	CE P EN166 F
ESGL10180D	5 -1.7 P 1 F CE	CE P EN166 F

### Lens Marking Symbols

#### Code - field of use

2 or 3: UV filter  
 5 or 6: Solar filter

#### Colour perception

C: Unimpaired colour perception

#### Protection class

1.2 - 6: Degree of visible light filtration

#### Optical class

1: High optical quality - no optical distortion

#### Mechanical Strength

F: Low energy impact, resists a 6 mm, .86 g at 45 m/s

#### Symbols

P: Manufacturer's mark  
 K: Resistance to surface damage by fine particles  
 N: Filter with anti-fog  
 CE: Europe standard

### Frame Marking Symbols

#### Symbols

CE: Europe standard  
 P: Manufacturer's mark  
 EN166: CE specification for protective eyewear

#### Mechanical Strength

F: Low energy impact

