



### GENERAL

Art.Nr:	G-1150-XS/M
GTIN:	4030281295242
E-class number:	40-02-01-02
Customs tariff number:	63079098

Standards:	EN 358:2018,EN 813: 2008
Net weight:	2.59 kg
Gross weight:	2.59 kg

www.skylotec.com I Datenblatt, 18.10.23



# DATASHEET

### **IGNITE ARB**

IGNITE ARB - the popular top-quality harness for arborists is now available in the modern IGNITE design. This work horse among arborist harnesses scores with

top robustness and sturdiness, even when heavy tools or equipment such as chain saws are carried. Its construction features a special SLIDING BRIDGE

(G-1152-1-20), which allows it to be easily replaced as needed without the use

of tools or additional screws. A simple threading technique and a wear indicator considerably reduce risk potential.

The SLIDING BRIDGE is available

in various lengths and has versions with one or two rings. By adding the

additional IGNITE ARB TOP, the waist harness can be equipped as a complete harness and thus certified to meet EN 361. -Replaceable SLIDING BRIDGE - Many

practical gear loops - Expandable with top part

#### FEATURES

Attachment points:	Side aluminium attachment point, Sit harness aluminium attachment point
Number of material loops 7 kg:	0
Number of material loops 10 kg:	0
Number of material loops 15 kg:	6
Application areas:	Arborists, RBA rigging
Colour:	Black, polyethylene_terephth alate, Anthracite
Harness features:	Webbing rewind
Hand wash:	40 °C
Maximum lifetime:	10 years
Maximum hip size:	100 cm
Maximum leg size:	80 cm
Maximum temperature:	45 °C
Minimum hip size:	60 cm
Minimum leg size:	55 cm
Minimum temperature:	-35 °C
Padding:	Back padding, Leg paddings
Buckles:	stick_buckle, oktalock
Adjusting buckles:	Adjusting buckles hips, Adjusting buckles legs
DIMENSIONS	
Size:	XS-M



#### MATERIAL

Material:

Polyester, Polyamide, Steel, Aluminium, Stainless Steel





### GENERAL

Art.Nr:	G-1150-M/XXL
GTIN:	4030281278337
E-class number:	40-02-01-02
Customs tariff number:	63079098

EN 358:2018,EN 813: 2008
2.65 kg
2.65 kg

www.skylotec.com I Datenblatt, 18.10.23



# DATASHEET

### **IGNITE ARB**

IGNITE ARB - the popular top-quality harness for arborists is now available in the modern IGNITE design. This work horse among arborist harnesses scores with

top robustness and sturdiness, even when heavy tools or equipment such as chain saws are carried. Its construction features a special SLIDING BRIDGE

(G-1152-1-20), which allows it to be easily replaced as needed without the use

of tools or additional screws. A simple threading technique and a wear indicator considerably reduce risk potential.

The SLIDING BRIDGE is available

in various lengths and has versions with one or two rings. By adding the

additional IGNITE ARB TOP, the waist harness can be equipped as a complete harness and thus certified to meet EN 361. -Replaceable SLIDING BRIDGE - Many

practical gear loops - Expandable with top part

#### FEATURES

Attachment points:	Side aluminium attachment point, Sit harness aluminium attachment point
Number of material loops 7 kg:	0
Number of material loops 10 kg:	0
Number of material loops 15 kg:	6
Application areas:	Arborists, RBA rigging
Colour:	Black, polyethylene_terephth alate, Anthracite
Harness features:	Webbing rewind
Hand wash:	40 °C
Maximum lifetime:	10 years
Maximum hip size:	125 cm
Maximum leg size:	85 cm
Maximum temperature:	45 °C
Minimum hip size:	70 cm
Minimum leg size:	60 cm
Minimum temperature:	-35 °C
Padding:	Back padding, Leg paddings
Buckles:	stick_buckle, oktalock
Adjusting buckles:	Adjusting buckles hips, Adjusting buckles legs
DIMENSIONS	
Size:	M-XXL



#### MATERIAL

Material:

Polyester, Polyamide, Steel, Aluminium, Stainless Steel